


STRUCTURAL ROOF FRAMING PLAN NOTES

- A. G.C. TO VERIFY EXISTING CONDITIONS AND FRAMING LAYOUT AS SHOWN ON THIS PLAN PRIOR TO FABRICATION/CONSTRUCTION.
- B. ELEVATIONS GIVEN ON PLAN OR SECTIONS ARE REFERENCED TO FINISH FLOOR DATUM ELEVATION.
- C. REF. GENERAL NOTES ON S2.2 FOR CONCRETE MATERIAL PROPERTIES INFORMATION.
- D. REF. GENERAL NOTES ON S2.2 FOR CONCRETE REINFORCEMENT MATERIAL PROPERTIES AND SHOP DRAWING SUBMITTAL REQUIREMENTS.
- E. FOR EXACT LOCATION OF MECHANICAL EQUIPMENT AND OPENING, SEE MECHANICAL DRAWINGS.
- F. APPROVAL MUST BE OBTAINED FROM THE ENGINEER OF RECORD FOR ALL OPENINGS OTHER THAN THOSE SHOWN ON STRUCTURAL DRAWINGS.
- G. REFER TO GENERAL NOTES AND TYPICAL DETAILS FOR MORE INFORMATION.


DOCK STRUCTURAL FRAMING PLAN GENERAL NOTES

- A. ELEVATIONS GIVEN ON PLAN OR SECTIONS ARE REFERENCED TO FINISH FLOOR DATUM ELEVATION.
- B. REF. GENERAL NOTES ON S2.2 FOR CONCRETE MATERIAL PROPERTIES INFORMATION.
- C. REF. GENERAL NOTES ON S2.2 FOR CONCRETE REINFORCEMENT MATERIAL PROPERTIES AND SHOP DRAWING SUBMITTAL REQUIREMENTS.
- D. FOR EXACT LOCATION OF MECHANICAL EQUIPMENT AND OPENING, SEE MECHANICAL DRAWINGS.
- E. APPROVAL MUST BE OBTAINED FROM THE ENGINEER OF RECORD FOR ALL OPENINGS OTHER THAN THOSE SHOWN ON STRUCTURAL DRAWINGS.
- F. REFER TO GENERAL NOTES AND TYPICAL DETAILS FOR MORE INFORMATION.


THIS STRUCTURE IS DESIGNED AS A STABLE UNIT AFTER ALL COMPONENT PARTS ARE IN PLACE. THE ERECTOR SHALL PROVIDE ALL NECESSARY SHORING AND BRACING, AS REQUIRED, TO INSURE STABILITY DURING ERECTION.




NEW AC-3 (1,690 LBS MAX.) ON EXISTING FRAME/CURB WITH NEW CURB ADAPTER



NEW CU-1 (190 LBS MAX.) ON NEW FRAME/CURB, REF. D6/S4.1, G.C. TO COORDINATE W/ MECHANICAL DRAWINGS & FIELD VERIFY LOCATION (F.V.)




NEW F-2 (92 LBS MAX.) ON EXISTING FRAME/CURB WITH NEW CURB ADAPTER



EXISTING MECHANICAL CENTER #2 TO REMAIN



EXISTING ROOF HATCH OPENING/CURB TO REMAIN



NEW CONDENSER #4 (1,350 LBS MAX.) ON EXISTING ROOF BENCH




NEW CONDENSER #5 (1,350 LBS MAX.) ON EXISTING ROOF BENCH




NEW CONDENSER #3 (1,030 LBS MAX.) ON EXISTING ROOF BENCH




NEW CONDENSER #2 (1,250 LBS MAX.) ON EXISTING ROOF BENCH







NEW AC-1 (7,800 LBS MAX.) ON EXISTING FRAME/CURB



EXISTING F-1 ON EXISTING FRAME/CURB TO REMAIN



NEW AC-4 (1,670 LBS MAX.) ON EXISTING FRAME/CURB WITH NEW CURB ADAPTER



A1
S4.1
ROOF FRAMING PLAN
SCALE: 1/8\"/>

A6
S4.1
HANGING MECHANICAL UNIT SUPPORT
SCALE: 1/2\"/>